



Eventbrite Calendar Integration

Archived

Overview

Displaying events you've created in Eventbrite in Claromentis Calendar

Prerequisite: Claromentis 7.4.x

How to Install

GIT: <https://git.claromentis.net:1443/mod/eventbrite>

Clone this repository into `/intranet/eventbrite`

COMPOSER

{todo}

Setting up Eventbrite API

1. Log in to Eventbrite under your company or event organiser account and go to **Settings**
2. Under Developer go to **App Management**
3. Click **Create a New App**

The screenshot shows the Eventbrite 'My Account' page. On the left is a sidebar menu with options like Settings, Payouts, and Referrals. The main content area is titled 'Request a new key' and contains two sections: 'Contact Information' and 'Application Details'. The 'Contact Information' section has fields for First Name, Surname, and Company Name. The 'Application Details' section has fields for Application URL, OAuth Redirect URI, Application Name, and Description. All fields are currently empty.

Fill out the details such as First name, Surname and Company Name

Application URL = Enter your Intranet web address for example <https://intranet.mycompany.com>

OAuth Redirect URI = Leave blank

Application Name = Claromentis Calendar

Description = Displaying Eventbrite Events in Claromentis Calendar

4. After submitting you will be given **App Key** and **Personal OAuth Token**

Make a note of these numbers as you will need to provide this to Claromentis Config File

APP NAME	KEYS	ACTIONS
System Calendar	App Key SR35XOA2HP3UDJQ3K4 Show Client Secret and OAuth Token	Key Details Directory Listing App Extension
Client secret	5BS2AX7WJZTW7KUH2RE7ZEIGK5GDJKTIHVAZODLJJNDQUDC5KZ	
Your personal OAuth token	Access Token 2HNFOLN7TAUUVDX3T5UY	
Anonymous access OAuth token	IUY5RJ7TGVIMUO44DMOE	

5. Navigate to these pages to find the **User Key**

The user key is a unique string assigned by Eventbrite which identifies the user who made the API call.

Navigate to: https://www.eventbrite.co.uk/userkeyapi?internal_ref=login

Eventbrite [Browse Events](#) [marketing@...](#) [Help](#) [CREATE EVENT](#)

My Account Eventbrite account since 22 Jun 2015

[Settings](#)
[Contact Info](#)
[Password](#)
[Social Settings](#)
[Credit/Debit Cards](#)
[Email Preferences](#)
[Unused Venues & ...](#)

Your API User Key

1434965372145577470132

What is an API User Key?

The user key is a unique string assigned by Eventbrite which identifies the user making an API call. This **replaces** basic username/password authentication. A valid user key is the recommended method for user authentication with the Eventbrite API.

6. Lastly you need to find the **User ID**

Navigate to this page by replacing XXXX with the actual **Access Token**

https://www.eventbriteapi.com/v3/users/me/owned_events/?token=XXXXXXXXXXXXXXXXXXXX

← → ↺ https://www.eventbriteapi.com/v3/users/me/owned_events/?token=2HNFOLN7TAUUV

Eventbrite API

GET /v3/users/me/owned_events/?token=2HNFOLN7T

REQUEST

PARSED AUTHENTICATION

OAuth token: 2HNFOLN7TAUUVDX3T5UY

User ID: 146158038308

App key: SR35XOA2HP3UDJQ3K4

EXPANDED FIELDS

Adding API parameters in Claromentis Config File

Add the following lines in the Claromentis config file (/intranet/common/config.php)

```
$cfg_cln_system_calendars[] = '\\Claromentis\\Eventbrite\\CalendarProvider';
```

```
$eventbrite_user_id = 'XXXXXXXXXXXXXX';
```

```
$eventbrite_app_key = 'XXXXXXXXXXXXXXXXXXXX';
```


```
$eventbrite_user_key = 'XXXXXXXXXXXXXXXXXXXX';
```

```
$eventbrite_access_token = 'XXXXXXXXXXXXXXXXXXXX';
```

Where is it displayed?

Navigate to your file:///var/www/claromentis/application/web///calendar/

A new calendar will be displayed alongside **"System Calendars"**



Created on 7 July 2015 by [Michael Christian](#). Last modified on 15 November 2023

Tags: [calendar](#), [module](#), [api](#)