




## OAuth2 Applications module walkthrough

### Overview


OAuth2 Applications module is developed to enable access to third-party applications through Claromentis intranet.

In this walk-through, we are using 'RocketChat' which is located on a fictitious <https://test.application.com> server as an example of a third-party application. In this example, Intranet is located on <https://workplace.myintranet.com>

### Step 1. Go to Admin > OAuth2 Applications



### Step 2. Create a new application within the module



### Step 3. Populate the panel with relevant information

Create new OAuth2 client

Client Name

e.g. Rocket Chat

Human-readable client/app name, this is shown to the User on the permissions confirmation screen. **Choose wisely, you will not be able to change it**

Authorised Redirect URIs

https://test.application.com

One URI per line. Needs to have a protocol, no URL fragments, and no relative paths.

Cancel

Save

## Step 4. Once saved, please review the config on Claromentis

### OAuth2 applications

OAuth 2 is an authorisation method that enables external applications that require authentication (such as Single Sign On) can request authentication from Claromentis through HTTPS service.

+ Add new client

Client Name	Rocket Chat
Client ID	MHxWGJ8ln1TnneKwctrFUVsmzyvVGXbty1M6C3NHnqkL4m8wIHNmJ3dEuJUCE3J
Client Secret	f2BMiIK2XvvYbt6jwnKL32RFAMqimq
Redirect URIs	https://test.application.com

## Step 5. Configure the external application to work with Intranet (example)

Please note that each third-party application will have their own configuration interface.

Here are the specifics for each field. Items in quotes must be entered exactly as they appear

- URL - please place the url of your intranet
- Token Path - "/oauth2/access\_token"
- Token Sent Via - "Header"
- Identity Token Sent Via - "Header"
- Identity Path - "/oauth2/user"
- Authorize Path - "/oauth2/auth"
- Scope - please leave empty
- ID and Secret are copied from step 4
- Username field - "name\_slug"
- Login Style - "Popup"

The following three fields are optional configuration, which would vary from application to application

- Button Text/Text Color/Color - please adjust as required for visual representation in step 6


Custom OAuth: Claro
COLLAPSE

When setting up your OAuth Provider, you'll have to inform a Callback URL.
e.g. https://test.application.com/\_oauth/claro

Enable	<input checked="" type="radio"/> True <input type="radio"/> False	
URL	e.g. https://workplace.myintranet.com	
Token Path	/oauth2/access_token	
Token Sent Via	Header	
Identity Token Sent Via	Header	
Identity Path	/oauth2/user	
Authorize Path	/oauth2/auth	
Scope		
Id	MhKwGJ8in1TNeKwctFUVamzyVGzbv1M5C3NhnqL4mbwRhmJ3eUJCE3J	
Secret	t2BmIK2XvYt6tjenkL32RFAMtgmq	
Login Style	Popup	
Button Text	Login with Claromentis	
Button Text Color	#FFFFFF	
Button Color	#13679A	
Username field	name_slug	
Merge users	<input checked="" type="radio"/> True <input type="radio"/> False	
Reset Section Settings	RESET	

Step 6. Review the third-party application access

You can now either create a fast access button or menu link to the application and run it.



For any additional information and configuration help, please contact your onboarding specialist, project manager or support team.

