



## Documents: Creating a Folder

Creating folders requires specific permission to carry out.

[Application administrators](#) of Documents can interact with the whole directory (and files within) from the Admin side of Documents, including creating folders at any level.

Because of this access administrators should be trusted individuals as they can see every folder/file from the Admin side and do not require front-end permissions to interact with content from this area.

In contrast, users are given front-end permissions by administrators to interact with folders and files in specific ways, including being able to create folders.

This guide will cover how an administrator can create a folder from the admin side of Documents and how a user can do so from the front end.

### Creating folders on the admin side (Administrator only)

Go to Applications > Admin > Documents > Manage Document list

A screenshot of the claromentis Admin interface. The top navigation bar shows 'claromentis' and various menu items like 'Home', 'Company', 'Department', 'Dashboards', 'E-Form Examples', 'Learning', 'Projects', and 'Book a Demo'. The main content area is titled 'Admin &gt; Documents'. On the left, there's a sidebar with 'DOCUMENTS' (highlighted with a red box) containing 'Manage documents list', 'Utilities' (with 'Documents import', 'Documents export', 'Trash can', 'Documents reports', 'Documents permissions report'), and 'CONFIGURATION' (with 'General configuration', 'Metadata', 'Record types'). The main content area shows 'ERMS features' with several configuration options like 'Use ERMS records', 'Use ERMS markers', 'Use record types', etc. Below that is a 'Statistics' table with three rows: 'Number of Documents' (89), 'Number of all versions of documents' (95), and 'Number of checked out documents' (0).

The whole directory is shown.

Admin > Documents > Documents list

The add new folder button

The Root - the highest level in the directory

Folders already created at the Root level

	Name	Owner	Last modified	Description
Root				
Discussions	Claromentis Administrator	15-08-2016 15:04		
Document Library	Claromentis Administrator	16-10-2023 13:07		
Drop Zone	Michael Christian	09-08-2024 11:02	Document Drop Zone to share with everyone using uploader compo...	

The folder location you are within will determine where the new folder will be added.

Adding folders to the top most level (the Root) requires special permission to be given first, which administrators can change.

Click the key symbol in line with the Root title to update this:

Admin > Documents > Documents list

Root

	Name	Owner	Last modified	Description
Root				
Discussions	Claromentis Administrator	15-08-2016 15:04		
Document Library	Claromentis Administrator	16-10-2023 13:07		
Drop Zone	Michael Christian	13-06-2017 11:30	Document Drop Zone to share with everyone using uploader compo...	

claromentis

Admin > Admin > Documents > Documents list > Edit rights to add top-level folders

Start typing to add... Browse Remove

Role: Administrators

View matching users...

Apply permissions Close

We recommend using a People Role or Group for Administrators and including this to give them all the ability to create folders at the Root.

## - Creating a folder at the Root

Navigate to the Root and click the 'New Folder' button.

On the next screen fill out its properties:

**Folder name:** The title of the folder

**Description:** A short explanation of the contents of the folder.

**Workflow:** (Optional) If a [document workflow](#) is implemented, select the one to apply to this folder.

**Document is searchable:** The folder will be indexed to enable users to search for it, allow this to inherit from the parent or not.

**Display documents in "What's New" list:** This folder's contents will appear in the 'What's new' component where it has been placed. Inherit from the parent or not.

Click 'New folder' once complete to save.

The permissions box will now appear to fill out, enter users/roles/groups and give them [permissions as appropriate](#).

The profile that created the folder (e.g. you in this example) will auto populate in the box with all permissions given and will be labelled as the 'Owner' of the folder.

View/edit permissions

Location: Root > Logistics

Permissions:

- Start typing to add... Browse Remove
- User: Claromentis Administrator  
All registered  
Role: Administrators

View  
 Create Draft  
 Edit & Approve  
 Move/delete  
 Edit Metadata  
 Edit permissions

[View effective permissions...](#)

[Apply permissions](#) [Close](#)

Once ready click 'apply permissions' and the folder will be created with permissions applied.

Use the breadcrumb trail to navigate back to the directory to see your new Folder listed at the Root.

View/edit permissions

Permissions were successfully applied

Location: Root > Logistics

Permissions:

- Start typing to add... Browse Remove
- All registered  
Role: Administrators  
User: Claromentis Administrator

View  
 Create Draft  
 Edit & Approve  
 Move/delete  
 Edit Metadata

Admin > Documents > Documents list

DOCUMENTS

- Manage documents list

UTILITIES

- Documents import
- Documents export
- Trash can
- Documents reports
- Documents permissions report

CONFIGURATION

- General configuration
- Metadata
- Record types
- Templates
- Google authentication

Root

Collaps all Expand all

All	Name	Size	Owner	Last modified	Description
①	Root			15-08-2016 15:04	
①	Discussions			16-10-2023 13:07	
①	Document Library		Claromentis Administrator	13-06-2017 11:30	Document Drop Zone to share with everyone using uploader compo...
①	Drop Zone		Michael Christian	25-09-2024 10:57	Documents for the Logistics team
①	Logistics		Claromentis Administrator	25-09-2024 10:57	Documents for the Logistics team

## - Creating a new folder at other levels

Navigate to the folder level you want to create a new folder at.

The same options as described for the Root will appear and can be followed to create the Folder, as shown in this video for the sub folder 'Trucks' which has been created in 'Logistics' which is at the Root.

Your browser doesn't support video.  
Please download the file [video/mp4](#)

For any subfolder, the description will pull through and can only be edited if the 'inherit' checkbox is deselected; then once saved, the new folder can be edited.

All subfolders created will inherit its parent's permissions by default - if these need to be changed, edit the permissions once the folder is created and deselect the checkbox.

Remember the general logic that determines which users/roles/groups will appear at the sub-levels. If those you expect aren't selectable, they have not been defined in the parent folder and must be added there first.

## Creating folders in the front end (Front-end permission)

Adding folders in the front end of the Documents application is a very similar process to the admin side.

Users can only add to the Root level if they have the special permissions outlined earlier.

Navigate to Applications > Documents and the level the new folder should be created at.

A folder can be created by just giving it a title, and it will be created immediately with permissions set to inherit.

Your browser doesn't support video.  
Please download the file [video/mp4](#)

Or the 'extended edit' option can be chosen where the description can be edited before creating the folder:

Your browser doesn't support video.  
Please download the file [video/mp4](#)

Only users with the '[edit permissions](#)' right can alter permissions on the front end, so your team can decide who should be changing these and give the rights accordingly (either end users that create the folders, administrators only or both)

Once decided, if end users should be able to make edits, ensure they have been given the 'edit permissions' right by an administrator, otherwise once they create folders on the front end these will remain with permissions set to inherit and they cannot edit this without administrator help.

---

---

---

Created on 25 September 2024 by [Hannah Door](#). Last modified on 12 November 2025

Tags: [intranet](#), [user guide](#), [folder](#), [create](#), [files](#)