



Time Zone Precedence

Overview

Claromentis is designed to work with multiple timezones and the following list defines the time zone precedence from the user's point of view.

1. User's time zone

Users in Claromentis can set their own location and timezone in

[My Settings > Location & timezone](#)

People > My settings

Authentication Notification settings Interface "What's New" options **Location & timezone**

Location

Time zone

The location listed in the drop-down can be further defined in

[Admin > System > Date and Time > Edit timezones settings](#)



Default time zone

Default time zone (GMT+00:00, DST auto) Europe/London

Default date/time Wednesday, 26 April 2023 16:39

UTC date/time Wednesday, 26 April 2023 15:39

Predefined locations

Select	Location	Time zone
<input type="checkbox"/>	London	(GMT+00:00, DST auto) Europe/London
<input type="checkbox"/>	Novosibirsk	(GMT+07:00) Asia/Novosibirsk
<input type="checkbox"/>	Melbourne	(GMT+10:00, DST auto) Australia/Melbourne
<input type="checkbox"/>	US Eastern	(GMT-11:00) Pacific/Midway
<input type="button" value="Add"/>		(GMT+00:00, DST auto) Europe/London

Alternatively, a user can select "Traveling" and select from available global timezones.

2. Claromentis System Timezone

This is defined in [Admin > System > Date and Time](#)

From this page, it is also possible to change how Date & Time formats are displayed throughout the system.

3. PHP `date.timezone` Configuration

Timezone settings in the PHP configuration.

This configuration is not accessible by end-users or Claromentis Admin

4. Operating System Time Zone

Typically this would have defaulted to the location of the Server where Claromentis is hosted.

This configuration is not accessible by end-users or Claromentis Admin

Last modified on 27 April 2023 by Hannah Door

Created on 26 April 2023 by Michael Christian