Assigning Sysadmins (System Administrators) and Application Administrators

The article will guide you on setting up Sysadmins and Application Administrators.

Sysadmins have the highest level of access to a site because they can make themselves or other users Application Administrators and edit the properties of the site.

Application administrators can access the admin side of the applications they have rights for and edit their properties, change their configuration and update user permissions.

Sysadmins and Application Administrator rights exist outside of People: Roles & groups and can only be given to individuals, but there is no limit on the number of Sysadmins or Application Administrators created.

- Admin icon explained
- · How to assign Sysadmins
- How to assign Application Administrators
- How to check current Administrators

The information given is outlined in the video at the top of this guide.

Admin Icon

Regardless of whether you are assigning Sysadmins or Application Administrators, the users need to be given permission to see the 'Admin' icon in the application list.

Otherwise, they cannot follow the Applications > Admin > xxxxx pathway to carry out their administrative duties.

The 'Admin' application icon that allows them to follow this pathway will not automatically appear:



Its permissions are controlled in Menu Builder, so it is required for an administrator of Menu Builder to update the permissions on the icon so that this now includes new Sysadmins and it appears for them to click on.

Check out our guide on How to configure the applications menu to assist with this.

Make sure that when new Syasdmins or Application Administrators are set their access to the 'Admin' icon is also updated.

Assigning Sysadmins

A **Sysadmin** is responsible for managing certain configuration options available in the System panel and making other users Application Administrators.

A Sysadmin can access Admin > System which gives them access to certain configuration options for your site as a whole as well as the ability to Assign Administrators.

Only the most responsible and those involved with the management of your site should be Sysadmins.

Generally when your company is onboarded your Intranet management team will have profiles created on your site first, and all of these will be made Sysadmins (as appropriate)

Your current Sysadmins will need to manage any new additions over time and know how to make others Sysadmins as required.

1. To assign a Sysadmin, navigate to Admin > System > Administrator



Reminder: If the application is greyed out, it means you do not have access to the admin panel. Please reach out to your internal Sysadmin to give you access - a list of names will appear when the key symbol is clicked.

Admin	Admin > System > Administrators					
ැබූ General	User					
음 Administrators	Assign a User as an Adminstr	ator for multiple panels				
C License	Assign administrators					
Date and Time	System	Announcements	Audit	Audit Manager		
Reckground Services	Badges	Blog	Buttons	Calendar		
	clarotour	Communication	Compliance	Courses		
52 Mail	Design	Digital Assets	Discuss	Documents		
⊡ Mali	Events	Expenses	Extranets	Forum		
Configuration	Holidays	HR	Image Gallery	InfoCapture		
A Labs	Knowledge Base	Learning	Imstriggers	Menu Builder		
INTEGRATIONS	Metadata	News	OAuth2 apps	Org Chart		
< > Scripts	Pages	People	Policy Manager	Polls & Surveys		
🖉 API keys	Projects	Quiz	Reports	Room Booking		
-O- LDAP	Search	Slider	Social Connect	Statistics		
	Tags	Thank you	Two Factor	Workflow		
	Inactive panels: Show/hide					

2. From the panel, select System

Admin	Admin > System > Administrators						
(중) General	User						
용 Administrators	🛆 Assign a User as an Adminst	Assign a User as an Adminstrator for multiple panels					
C License	Assign administrators						
Date and Time	System	Announcements	Audit	Audit Manager			
Background Services	Badges	Blog	Buttons	Calendar			
X Localisation	clarotour	Communication	Compliance	Courses			
52 Mail	Design	Digital Assets	Discuss	Documents			
(Mul	Events	Expenses	Extranets	Forum			
29 Configuration	Holidays	HR	Image Gallery	InfoCapture			
∆ Labs	Knowledge Base	Learning	Imstriggers	Menu Builder			
INTEGRATIONS	Metadata	News	OAuth2 apps	Org Chart			
< > Scripts	Pages	People	Policy Manager	Polls & Surveys			
API keys	Projects	Quiz	Reports	Room Booking			
-O- LDAP	Search	Slider	Social Connect	Statistics			
	Tags	Thank you	Two Factor	Workflow			
	Inactive panels: Show/hide						

3. Add the user you wish to make a Sysadmin into the field and press Save

claromentis	Q. What are you looking for? 🔠 11:34 - C9 🗍 🏭 💭 😂 📿
Home Company - Department - Dashboards - E-Form Examples - Learning	Projects Book a Demo
Admin > System > Administrators > Assign administrators	
Assign Administrators for System	
×Sameer Arora ×Robert Reith ×Dave Arril ×Barclay Martin ×Michael Christian ×D	mo Account Browse
×Nigel Davies ×Claromentis Administrator ×Michael Hassman ×Jasmine Goreas ×	ustin Glover
×Kerensa Johnson ×Playground Admin ×Compliance Admin ×Anne Wilkins	
Save	

Assigning Application Administrators

An **Application Administrator** will have access to the admin side of the applications (via Applications > Admin > xxxxx) they have been made an administrator for.

A user can be an administrator for one, a few or all applications, it depends on the access breakdown you need to implement across your users.

Being an Application Administrator can alter the configuration of that application as well as change user permissions in it, so Application Administrators must be trustworthy and responsible users.

It is likely that when your site was set up the current Intranet management team were made both Sysadmins and Application Administrators.

However these rights can be changed at any time to fit your needs, follow the steps below to make user(s) Application Administrators as required.

Reminder: Please be cautious when granting admin permissions as anyone who has access to the admin side of an application will be able to edit permissions within all areas of the application.

Admin	Admin > System > Administrators						
🚱 General	User						
용 Administrators	Assign a User as an Adminstr	ator for multiple panels					
C License	Assign administrators						
① Date and Time	System	Announcements	Audit	Audit Manager			
R Background Services	Badges	Blog	Buttons	Calendar			
▼. Localization	clarotour	Communication	Compliance	Courses			
	Design	Digital Assets	Discuss	Documents			
Maii	Events	Expenses	Extranets	Forum			
& Configuration	Holidays	HR	Image Gallery	InfoCapture			
🛆 Labs	Knowledge Base	Learning	Imstriggers	Menu Builder			
INTEGRATIONS	Metadata	News	OAuth2 apps	Org Chart			
< > Scripts	Pages	People	Policy Manager	Polls & Surveys			
API keys	Projects	Quiz	Reports	Room Booking			
-O- LDAP	Search	Slider	Social Connect	Statistics			
	Tags	Thank you	Two Factor	Workflow			
	Inactive panels: Show/hide						

2. Select the relevant application listed to reveal the user select box where you can add more users, save to apply.

claromentis				C
Home Company V Department V Dashboards V E-Form Examples V Learning	Projects Book a Demo			
Admin > System > Administrators > Assign administrators Assign Administrators for Documents Claronentia Administrator Dave Arrill Mana Christian Dave Arrill Compliance Administrator Midnest Hassman Compliance Administrator Midnest Hassman Passe enter 1 more character State	tethi [≠ Nigel Davies] Johnson [≠ Playground Admin)	Browse		

3. You can also set one user as an administrator for multiple applications by using Assign a User as an Admin for multiple panels

admin	Admin > System > Administrators						
ର୍ତ୍ତ୍ରେ General	User						
요 Administrators	Assign a User as an Administrator for multiple panels						
🔿 License	Assign administrators						
Date and Time	System	Announcements	Audit	Audit Manager			
🚱 Background Services	Badges	Blog	Buttons	Calendar			
☆ Localisation	clarotour	Communication	Compliance	Courses			
Mail	Design	Digital Assets	Discuss	Documents			
(h Confirmation	Events	Expenses	Extranets	Forum			
Conliguration	Holidays	HR	Image Gallery	InfoCapture			
A Labs	Knowledge Base	Learning	Imstriggers	Menu Builder			
INTEGRATIONS	Metadata	News	OAuth2 apps	Org Chart			
< > Scripts	Pages	People	Policy Manager	Polls & Surveys			
🖉 API keys	Projects	Quiz	Reports	Room Booking			
-O- LDAP	Search	Slider	Social Connect	Statistics			
	Tags	Thank you	Two Factor	Workflow			
	Inactive panels: Show/hide						

Select every application you want them to be an administrator for and save to apply.

Assign administrators			
-	Anne Wilkins	 Browse Refresh view 	
✓ Select all			
✓ System	Announcements	✓ Audit	 Audit Manager
Badges	Blog	Buttons	Calendar
✓ clarotour	Communication	Compliance	Courses
Design	Digital Assets	Discuss	Documents
Events	Expenses	Extranets	Forum
Holidays	HR	Image Gallery	InfoCapture
Knowledge Base	Learning	Imstriggers	Menu Builder
Metadata	News	OAuth2 apps	Org Chart
Pages	People	Policy Manager	Polls & Surveys
Projects	Quiz	Reports	Room Booking
Search	Slider	Social Connect	Statistics
Tags	Thank you	Two Factor	Workflow
Inactive panels: Show/hide			

Who is a Sysadmin currently?

- Any current Sysadmin or Application Administrator can:

1. Head to Admin > System

2. Click the key symbol against System

claro	mer	ntis				Q w	hat are you looking for?	12:41 😁	o م	***	4 æ	C
Home Compa	iny 🗸 Depa	artment 🗸	Dashboards 🗸	E-Form Examples	Learning	Projects	Book a Demo					
Admin	0											
Click	k to see users v admin right	who have ts		Qs	earch applicat	ions						
(iii)	8		-	•		9		88				
Claromentis Adr	ninistrator	4	Audit	Audit Manage	r	Badges	Blog	Buttons			Calendar	
Jacob Black												
Anne Wilkins			~			-						
Nigel Davies												
Robert Reith		Comm	nunication	Compliance		Courses	Design	Digital Asse	ts		Discuss	
Michael Christian	n											
Demo Account		1	*	[0]		0	,	त्र				
Austin Glover		F	vents	Expenses		Extranets	Forum	Holidays			HR	
Michael Hassma	in											
Kerensa Johnson	1		*	1-01			ch.				6	
12	3	-	14				(1)	رہے				
Image Ga	ollery	Info	Capture	Knowledge Bas	se	Learning	Imstriggers	Menu Builde	er		Metadata	
			ĥ	***							=	

3. Everyone listed is a Sysadmin of the site.

4. Application Administrators can contact these users to resolve administrative access issues to other applications, where they may not be administrators.

Who is an Application Administrator currently?

- Any current Sysadmin or Application Administrator can:

1. Head to Application > Admin

2. Click the Key symbol against the application they are interested in.

clc	arom	entis		Q What are you	looking for?	🗐 13:25 😔 💭	## 🗘 ## 🧲
Home	Company 🗸	Department V Dashboard	is ✔ E-Form Examples ✔ Lea	rning Projects Book a De			
\$	Admin						
			Click to see users admin rigt	who have hts			
		* **	🦔 Š	•	\$	-	88
	System	Announcements	Claromentis Administrator Dave Arril	Audit Manager	Badges	Blog	Buttons
		<i>(</i> ⁴)	Barclay Martin Nigel Davies	I	-		۲
	Calendar	clarotour	Robert Reith	Compliance	Courses	Design	Digital Assets
	9	L	Michael Christian	[⊙]	0	Ę,	
	Discuss	Documents	Demo Account Michael Hassman	Expenses	Extranets	Forum	Holidays
			Jasmine Goreas Kerensa Johnson	101	٠	<~>>	(0)
	HR	Image Gallery	Playground Admin Compliance Admin	Knowledge Base	Learning	lmstriggers	Menu Builder
	[iiii]		-	Å			

3. Every user listed is an Application Administrator of that application.

4. This is a handy way to quickly find out who is an administrator and can help you with a query for specific applications or resolve your access to something.

- Any current Sysadmins can:

1. Head to Applications > Admin > System > Administrator > Assign user to multiple applications

claromenti	S			Θ Ω ::: 4 & C				
Home Company 🗸 Departmen	nt 🛩 Dashboards 🛩 E-Form Examples	 Learning Projects Book a Dem 						
Admin > System > Administrators								
🚱 General	User							
용 Administrators	Assign a User as an Adminstrate	or for multiple panels						
C License	Assign administrators							
Date and Time	System	Announcements	Audit	Audit Manager				
Background Services	Badges	Blog	Buttons	Calendar				
文A Localisation	clarotour	Communication	Compliance	Courses				
Mail	Design	Digital Assets	Discuss	Documents				
& Configuration	Events	Expenses	Extranets	Forum				
// Conngulation	Holidays	HR	Image Gallery	InfoCapture				
A Labs	Knowledge Base	Learning	Imstriggers	Menu Builder				
INTEGRATIONS	Metadata	News	OAuth2 apps	Org Chart				
< > Scripts	Pages	People	Policy Manager	Polls & Surveys				
P API keys	Projects	Quiz	Reports	Room Booking				
-O- LDAP	Search	Slider	Social Connect	Statistics				
	Tags	Thank you	Two Factor	Workflow				

- 2. Enter the user whose access they want to check.
- 3. Once the user is selected the page will reload.

claromentis			🗐 12:46 🖙 🎵 🏭 🗘 😤						
Home Company 🗸 Department 🗸 Dasht	ioards 🛩 E-Form Examples 🛩 Learning	Projects Book a Demo							
Admin > System > Administrators >	Admin > System > Administrators > Assign administrators								
Assign administrators									
	Frank Simpson	* Browse 💍 Refresh view							
Select all									
System	Announcements	Audit	Audit Manager						
Badges	Blog	 Buttons 	Calendar						
clarotour	Communication	Compliance	Courses						
Design	 Digital Assets 	Discuss	Documents						
Events	Expenses	 Extranets 	Forum						
Holidays	🛃 HR	Image Gallery	InfoCapture						
Knowledge Base	Learning	Imstriggers	 Menu Builder 						
Metadata	News	OAuth2 apps	Org Chart						
Pages	People	Policy Manager	 Polls & Surveys 						
Projects	Quiz	Reports	Room Booking						
Search	Slider	Social Connect	Statistics						
Tags	Thank you	Two Factor	Workflow						
Inactive panels: Show/hide									
Save									
			the second se						

4. Every checkbox that is selected means they are an Application Administrator for it, if they have System selected, then they are also a Sysadmin.

5. This is a handy way for Sysadmins to visually check a user's administrative access so they can edit this as required.

Created on 24 April 2024 by Hannah Door. Last modified on 1 August 2025 Tags: admin, administrator, superuser, sysadmin, v9, system admin