




## OAuth2 Applications module walkthrough

### Overview


OAuth2 Applications module is developed to enable access to third-party applications through Claromentis intranet.

In this walk-through, we are using 'RocketChat' which is located on a fictitious <https://test.application.com> server as an example of a third-party application. In this example, Intranet is located on <https://workplace.myintranet.com>

### Step 1. Go to Admin > OAuth2 Applications



### Step 2. Create a new application within the module



### Step 3. Populate the panel with relevant information

### Create new OAuth2 client ✕

**Client Name** e.g. Rocket Chat

Human-readable client/app name, this is shown to the User on the permissions confirmation screen. **Choose wisely, you will not be able to change it**

**Authorised Redirect URIs**

https://test.application.com

One URI per line. Needs to have a protocol, no URL fragments, and no relative paths.

Cancel
Save

## Step 4. Once saved, please review the config on Claromentis

### OAuth2 applications

OAuth 2 is an authorisation method that enables external applications that require authentication (such as Single Sign On) can request authentication from Claromentis through HTTPS service.

[+ Add new client](#)

<b>Client Name</b>	Rocket Chat
<b>Client ID</b>	MHxWGL8l1TnneKwctFUVsmzvyVGXbV1M6C3NHnqkL4m8wHNMJ3dEuUCE3J
<b>Client Secret</b>	f2BmIK2XvYbt6jwnkL32RFAMfjmq
<b>Redirect URIs</b>	<a href="https://test.application.com">https://test.application.com</a>

## Step 5. Configure the external application to work with Intranet (example)

Please note that each third-party application will have their own configuration interface.

Here are the specifics for each field. Items in quotes must be entered exactly as they appear

- URL - please place the url of your intranet
- Token Path - "/oauth2/access\_token"
- Token Sent Via - "Header"
- Identity Token Sent Via - "Header"
- Identity Path - "/oauth2/user"
- Authorize Path - "/oauth2/auth"
- Scope - please leave empty
- ID and Secret are copied from step 4
- Username field - "name\_slug"
- Login Style - "Popup"

The following three fields are optional configuration, which would vary from application to application

- Button Text/Text Color/Color - please adjust as required for visual representation in step 6


**Custom OAuth: Claro** COLLAPSE

When setting up your OAuth Provider, you'll have to inform a Callback URL: e.g. https://test.application.com/\_oauth/claro

Enable	<input checked="" type="radio"/> True <input type="radio"/> False	<span>⌵</span>
URL	<span style="border: 1px solid red; padding: 2px;">e.g. https://workplace.myintranet.com</span>	<span>⌵</span>
Token Path	/oauth2/access_token	<span>⌵</span>
Token Sent Via	Header	<span>⌵</span>
Identity Token Sent Via	<span style="border: 1px solid red; padding: 2px;">Header</span>	<span>⌵</span>
Identity Path	/oauth2/user	<span>⌵</span>
Authorize Path	/oauth2/auth	<span>⌵</span>
Scope		<span>⌵</span>
Id	MhKwGJ8in1TnWkKwctFUVAmzvyVGZdv1M6C3NhnqL4mbWlHmJ3dUJCEJ	<span>⌵</span>
Secret	f2BMK2XvY98jwHL32RFAMqmq	<span>⌵</span>
Login Style	Popup	<span>⌵</span>
Button Text	Login with Claromentis	<span>⌵</span>
Button Text Color	#FFFFFF	<span>⌵</span>
Button Color	#13678A	<span>⌵</span>
Username field	name_slug	<span>⌵</span>
Merge users	<input checked="" type="radio"/> True <input type="radio"/> False	<span>⌵</span>
Reset Section Settings	<span style="border: 1px solid red; padding: 2px;">RESET</span>	

**Step 6.** Review the third-party application access

You can now either create a fast access button or menu link to the application and run it.



For any additional information and configuration help, please contact your onboarding specialist, project manager or support team.

Last modified on 30 November 2023 by [Hannah Door](#)

Created on 5 July 2018 by [Stas Dreiling](#)

