

Welcome to Azure!

Don't have a subscription? Check out the following options.



Start with an Azure free trial

Get \$200 free credit toward Azure products and services, plus 12 months of popular [free services](#).

[Start](#)



Manage Microsoft Entra ID

Manage access, set smart policies, and enhance security with Microsoft Entra ID.

[View](#)

[Learn more](#) 



Access student benefits

Get free software, Azure credit, or access Azure Dev Tools for Teaching after you verify your academic status.

[Explore](#)

[Learn more](#) 

Configuring Social Connect: Sign-in With Microsoft

Overview

This is an administrative guide on how to configure Sign-in with Microsoft in the Social Connect Module.

Once this has been configured, users can connect their account with their Microsoft Account allowing them to log in to the system simply by clicking the "Sign-in with Microsoft" button from the Login screen.

Username

Password

Remember Me

[Forgot your password?](#)

[Sign-in](#)

 [Sign-in With Microsoft](#)

Powered by Claromentis Digital Workplace

1. Register an app on Microsoft Azure Portal

Log in to Azure Portal as a user that has admin privileges from your organisation to register a new app

<https://portal.azure.com/>

Under Azure services click "App registrations"

Welcome to Azure!

Don't have a subscription? Check out the following options.



Start with an Azure free trial
Get \$200 free credit toward Azure products and services, plus 12 months of popular free services.

[Start](#)



Manage Microsoft Entra ID
Manage access, set smart policies, and enhance security with Microsoft Entra ID.

[View](#) [Learn more](#)



Access student benefits
Get free software, Azure credit, or access Azure Dev Tools for Teaching after you verify your academic status.

[Explore](#) [Learn more](#)

Azure services



Click on **New Registration**

Application Name: **Claramentis Social Connect for {Your intranet name}**

Supported account type:

For wider compatibility select **"Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)"**

Alternatively, apply the appropriate account type to suit your organisation.

Redirect URI

Select a platform: **Web**

<https://{your-intranet-url}/socialconnect/live/callback>

Replace {your-intranet-url} with the actual URL of your intranet

Home > App registrations >

Register an application

* Name

The user-facing display name for this application (this can be changed later).

Sign-in with Microsoft for Company Intranet

Supported account types

Who can use this application or access this API?

- Accounts in this organizational directory only (Claramentis Ltd only - Single tenant)
- Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)
- Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)
- Personal Microsoft accounts only

[Help me choose...](#)

Redirect URI (optional)

We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.

Web <https://codedev.claramentis.com/socialconnect/live/callback>


Register an app you're working on here. Integrate gallery apps and other apps from outside your organization by adding from [Enterprise applications](#).

By proceeding, you agree to the [Microsoft Platform Policies](#)

[Register](#)

2. Creating a client secret

Navigate to "Certificates & secret" tab on the left and click on **New Client secret** to create a new secret




Enter the description and set how long the secret will expire.


Please note that you need to create a new secret when it's expired to ensure Sign-in with Microsoft continues to work.

3. Copy Client ID and Client Secret to Claramentis

Client ID: Get it from Application (Client ID)



Client Secret: Under Certificate and Secrets get the client's secret value



Don't forget to click **Save Configuration** button at the bottom.

Troubleshoot

1. Unauthorized Client error message

We're unable to complete your request

unauthorized_client: The client does not exist or is not enabled for consumers. If you are the application developer, configure a new application through the App Registrations in the Azure Portal at <https://go.microsoft.com/fwlink/?linkid=2083908>.

- Make sure you have configured the Social Connect correctly on Azure Portal and have **Microsoft Graph (User.Read) API permission** enabled.
- Make sure you have selected the appropriate **Supported account type**
-

Home > App registrations > Claromentis Social Connect for Demo Intranet

Claromentis Social Connect for Demo Intranet | API permissions

Search Refresh Got feedback?

- Overview
- Quickstart
- Integration assistant
- Diagnose and solve problems
- Manage
 - Branding & properties
 - Authentication
 - Certificates & secrets
 - Token configuration
 - API permissions**
 - Expose an API
 - App roles
 - Owners
 - Roles and administrators
 - Manifest
- Support + Troubleshooting

Granting tenant-wide consent may revoke permissions that have already been granted tenant-wide for that application. Permissions that users have already granted on their own behalf aren't affected. [Learn more](#)

The "Admin consent required" column shows the default value for an organization. However, user consent can be customized per permission, user, or app. This column may not reflect the value in your organization, or in organizations where this app will be used. [Learn more](#)

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. The list of configured permissions should include all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission ✓ Grant admin consent for Claromentis Ltd

| API / Permissions name | Type | Description | Admin consent requi... | Status |
|------------------------|-----------|-------------------------------|------------------------|--------|
| Microsoft Graph (1) | | | | |
| User.Read | Delegated | Sign in and read user profile | No | |

To view and manage consented permissions for individual apps, as well as your tenant's consent settings, try [Enterprise applications](#).

2. Client error: 400 Bad request

```
[Guzzle][TransferException]Client error: `POST https://login.live.com/oauth20_token.srf` resulted in a `400 Bad Request` response: {"error":"invalid_client","error_description":"The provided value for the 'client_secret' parameter is not valid."} (truncated...)
```

Username

Password

This is likely caused by an invalid **Client ID** and or **Client Secret** or expired **Client Secret** in the Azure Portal.

Last modified on 18 October 2024 by [Hannah Door](#)

Created on 17 October 2024 by [Michael Christian](#)